Information Processing Letters 30 (1989) 311–312
North-Holland

28 March 1989

AUTHOR INDEX VOLUME 30 (1989)

(The issue number is given in front of the page number)

Aggarwal, A., D. Coppersmith and **D. Kleitman**, A generalized model for understanding evasive-ness (4) 205–208
Ariyawansa, K.A., *see* **Nazareth, J.L.** (6) 277–281

Barkley, R.E. and **T.P. Lee**, Point representation and hashing of an interval (4) 201–203

Chakrabarti, P.P., S. Ghose, A. Pandey and **S.C. De Sarkar**, Increasing search efficiency using multiple heuristics (1) 33– 36
Chetto, H. and **M. Chetto**, Scheduling periodic and sporadic tasks in a real-time system (4) 177–184
Chetto, M., *see* **Chetto, H.** (4) 177–184
Ch'ng, H.T., B. Srinivasan and **B.C. Ooi**, Study of selforganizing heuristics for skewed access patterns (5) 237–244
Consel, C. and **O. Danvy**, Partial evaluation of pattern matching in strings (2) 79– 86
Coppersmith, D., *see* **Aggarwal, A.** (4) 205–208
Culberson, J.C. and **P. Rudnicki**, A fast algorithm for constructing trees from distance matrices (4) 215–220
Culik II, K., Variations of the firing squad problem and applications (3) 153–157

Danvey, O., *see* **Consel, C.** (2) 79– 86
Darondeau, P., Bisimulation and effectiveness (1) 19– 20
De Sarkar, S.C., *see* **Chakrabarti, P.P.** (1) 33– 36

Ehlers, E.M. and **S.H. von Solms**, Using random context structures grammars to represent chemical structures (3) 159–166
Emde Boas, P. van, Space measures for storage modification machines (2) 103–110

Fleischer, R., Communication complexity of multi-processor systems (2) 57– 65
Foster, M.J. and **R.I. Greenberg**, Lower bounds on the area of finite-state machines (1) 1– 7

Galil, Z. and **V. Pan**, Parallel evaluation of the determinant and of the inverse of a matrix (1) 41– 45
Garzon, M., *see* **Zalcstein, Y.** (5) 253–254
Geréb-Straus, M., R. Paturi and **E. Szemerédi**, There are no p-complete families of symmetric Boolean functions (1) 47– 49
Gerstel, O., Y. Mansour and **S. Zaks**, Bit complexity of order statistics on a distributed star network (3) 127–132
Ghose, S., *see* **Chakrabarti, P.P.** (1) 33– 36
Ghosh, R.K., *see* **Rajan, V.** (5) 265–268
Greenberg, R.I., *see* **Foster, M.J.** (1) 1– 7
Greibach, S.A., *see* **Rolim, J.D.P.** (3) 133–138
Gupta, P., *see* **Rajan, V.** (5) 265–268
Gusfield, D. and **R.W. Irving**, Parametric stable marriage and minimum cuts (5) 255–259
Gusfield, D., *see* **Martel, C.U.** (2) 97–102

Hehner, E.C.R., Real-time programming (1) 51– 56

Ibarra, O.H. and **T. Jiang**, Optimal simulation of tree arrays by linear arrays (6) 295–302
Irving, R.W., *see* **Gusfield, D.** (5) 255–259
Itoh, T. and **S. Tsujii**, An efficient algorithm for deciding quadratic residuosity in finite fields GF(p^m) (3) 111–114

Jiang, T., *see* **Ibarra, O.H.** (6) 295–302
Jokinen, M.O., Customizable garbage collectors (3) 115–118

Karpinski, M., *see* **Lingas, A.** (1) 27– 32
Kelter, U., The pitfall paradox and its solution with virtual objects (3) 139–143
Kim, J.H., K.H. Park and **M. Kim**, A model of distributed control: dependency and uncertainty (2) 73– 77
Kim, M., *see* **Kim J.H.** (2) 73– 77
Kim, M., *see* **Song, G.** (5) 245–252
Kleitman, D., *see* **Aggarwal, A.** (4) 205–208
Kučera, L., Graphs with small chromatic numbers are easy to color (5) 233–236

Lavault, C., Average number of messages for distributed leader-finding in rings of processors (4) 167–176
Lee, D., *see* **Song, G.** (5) 245–252
Lee, T.P., *see* **Barkley, R.E.** (4) 201–203
Lindhorst, G. and **F. Shahrokhi**, On renaming a set of clauses as a Horn set (6) 289–293
Lingas, A. and **M. Karpinski**, Subtree isomorphism is NC reducible to bipartite perfect matching (1) 27– 32

0020-0190/89/$3.50 © 1989, Elsevier Science Publishers B.V. (North-Holland)

Luca, A. de and **S. Varricchio**, Factorial languages whose growth function is quadratically upper bounded. (6) 283–288

Mansour, Y., *see* **Gerstel, O.** (3) 127–132
Martel, C.U. and **D. Gusfield**, A fast parallel quicksort algorithm (2) 97–102
Mattern, F., Global quiescence detection based on credit distribution and recovery (4) 195–200
Mihail, M., On coupling and the approximation of the permanent (2) 91– 95
Morris, R.J.T., *see* **Wong, W.S.** (2) 67– 72

Nazareth, J.L. and **K.A. Ariyawansa**, On accelerating Newton's method based on a conic model (6) 277–281
Nievergelt, J., *see* **Staunstrup, J.** (3) 145–151

Omiecinski, E. and **E. Tien**, A hash-based join algorithm for a cube-connected parallel computer (5) 269–275
Ooi, B.C., *see* **Ch'ng, H.T.** (5) 237–244

Pan, V., *see* **Galil, Z.** (1) 41– 45
Pandey, A., *see* **Chakrabarti, P.P.** (1) 33– 36
Park, D., *see* **Song, G.** (5) 245–252
Park, K.H., *see* **Kim, J.H.** (2) 73– 77
Park, K.H., *see* **Song, G.** (5) 245–252
Paturi, R., *see* **Geréb-Straus, M.** (1) 47– 49
Provan, J.S., Shortest enclosing walks and cycles in embedded graphs (3) 119–125

Rajan, V., **R.K. Ghosh** and **P. Gupta**, An efficient parallel algorithm for random sampling (5) 265–268
Raymond, K., A distributed algorithm for multiple entries to a critical section (4) 189–193
Robson, J.M., Separating strings with small automata (4) 209–214
Rolim, J.D.P. and **S.A. Greibach**, A note on the best-case complexity (3) 133–138
Roth, P., A note on word chains and regular languages (1) 15– 18
Rudnicki, P., *see* **Culberson, J.C.** (4) 215–220
Rytter, W. and **T. Szymacha**, Parallel algorithms for a class of graphs generated recursively (5) 225–231

Salowe, J.S., *L*-infinity interdistance selection by parametric search (1) 9– 14
Sandhu, R.S., The reflected tree hierarchy for protection and sharing (1) 21– 26
Shahrokhi, F., *see* **Lindhorst, G.** (6) 289–293
Shonkwiler, R., An image algorithm for computing the Hausdorff distance efficiently in linear time (2) 87– 89
Solms, S.H. von, *see* **Ehlers, E.M.** (3) 159–166
Song, G., **D. Park**, **D. Lee**, **K.H. Park** and **M. Kim**, A distributed deadlock detection algorithm: distributed graph reconstruction algorithm (5) 245–252
Srinivasan, B., *see* **Ch'ng, H.T.** (5) 237–244
Staunstrup, J. and **J. Nievergelt**, The behavior of shared objects: concepts, pitfalls, and a new model (3) 145–151
Szemerédi, E., *see* **Geréb-Strauss, M.** (1) 47– 49
Szymacha, T., *see* **Rytter, W.** (5) 225–231

Tien, E., *see* **Omiecinski, E.** (5) 269–275
Tsujii, S., *see* **Itoh, T.** (3) 111–114
Turán, G., Lower bounds for synchronous circuits and planar circuits (1) 37– 40

Vardi, M.Y., A note on the reduction of two-way automata to one-way automata (5) 261–264
Varricchio, S., *see* **Luca, A. de** (6) 283–288
Vidyasankar, K., An elegant 1-writer multireader multivalued atomic register (5) 221–223
Vogt, C., A new approach to optimal cache scheduling (5) 303–310

Wogulis, J., Self-adjusting and split sequence hash tables (4) 185–188
Wong, W.S. and **R.J.T. Morris**, A new approach to choosing initial points in local search (2) 67– 72

Zaks, S., *see* **Gerstel, O.** (3) 127–132
Zalcstein Y. and **M. Garzon**, An NC^2 algorithm for testing similarity of matrices (5) 253–254